


PEREGRINE ENTERPRISES



600X
1200MM

3D


COLLECTION

Specifications of Our 3D Tiles

3D tiles are a bold and modern design choice that adds depth, dimension, and drama to any space. Unlike flat surfaces, 3D tiles feature raised patterns and textures that create a dynamic visual effect, changing appearance with light and shadow. Available in a range of materials like ceramic, porcelain, and PVC, these tiles come in various geometric, wave, floral, and abstract designs, perfect for creating striking accent walls, TV panels, lobbies, and reception areas. 3D tiles not only enhance aesthetics but also bring a tactile, artistic feel to interiors. Whether used in residential or commercial settings, they transform plain surfaces into captivating, sculptural masterpieces, making them a favorite for architects and designers seeking standout style.



600X
1200MM | **9MM**
THICKENSS




Textures That Speak, Surfaces That **Impress.**

3D tiles offer a wide variety of designs that suit both minimalistic and high-impact aesthetics. Commonly used for feature walls, entrance foyers, lobbies, bed backdrops, and commercial spaces, they instantly turn any ordinary wall into a visually stunning statement.

-  Impact Resistant
-  Stain Resistant
-  Scratch Resistant
-  Fire Resistant
-  Resistant To UV Rays
-  Frost Resistant
-  Liquid Repellent

Application Areas



Specification





3D
Collection

3D 01

600X
1200MM


Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products



3D
Collection



3D 43

600X
1200MM


Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products





3D
Collection

3D 1005


600X
1200MM

Finish
Glossy

Thickness
9MM

Random
01


PREMIUM
Quality Products



3D
Collection



3D 9020

600X
1200MM

Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products





3D 9020



3D
Collection

3D 9062

600X
1200MM


Finish
Glossy


Thickness
9MM

Random
01



PREMIUM
Quality Products





3D
Collection

3D 90146


600X
1200MM


Finish
Glossy

Thickness
9MM

Random
01


PREMIUM
Quality Products





3D
Collection

3D 90161


600X
1200MM

Finish
Glossy

Thickness
9MM

Random
01


PREMIUM
Quality Products





3D
Collection

3D 90205

600X
1200MM


Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products





3D 90205



3D
Collection

3D 05


600X
1200MM

Finish
Glossy

Thickness
9MM

Random
01


PREMIUM
Quality Products





3D
Collection

3D 24

600X
1200MM

Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products



3D
Collection



3D 25

600X
1200MM


Finish
Glossy


Thickness
9MM

Random
01



PREMIUM
Quality Products





3D
Collection

3D 9001

600X
1200MM


Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products



3D
Collection



3D 9002

600X
1200MM

Finish
Glossy

Thickness
9MM

Random
01


PREMIUM
Quality Products



3D
Collection



3D 9050

600X
1200MM


Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products





3D
Collection

3D 9062


600X
1200MM

Finish
Glossy

Thickness
9MM

Random
01


PREMIUM
Quality Products





3D 9062



3D
Collection

3D 90203

600X
1200MM


Finish
Glossy

Thickness
9MM


Random
01



PREMIUM
Quality Products



3D
Collection



3D 90207

600X
1200MM


Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products



3D
Collection

3D 90208

600X
1200MM


Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products



3D
Collection



3D-H


600X
1200MM

Finish
Glossy

Thickness
9MM


Random
01


PREMIUM
Quality Products





3D-H



3D
Collection

4504 3D

600X
1200MM


Finish
Glossy

Thickness
9MM


Random
01



PREMIUM
Quality Products



3D
Collection



DOOR 01

600X
1200MM


Finish
Glossy


Thickness
9MM

Random
01



PREMIUM
Quality Products






3D
Collection

M-501

600X
1200MM

Finish **Glossy** | Thickness **9MM** | Random **01**


PREMIUM
Quality Products





3D
Collection

ST 10101

600X
1200MM


Finish
Glossy

Thickness
9MM

Random
01




PREMIUM
Quality Products





ST 10101

3D
Collection



ST 10102

600X
1200MM


Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products



3D
Collection


ST 10103

600X
1200MM

Finish **Glossy** | Thickness **9MM** | Random **01**



PREMIUM
Quality Products





3D
Collection

ST 10104

600X
1200MM

Finish **Glossy** | Thickness **9MM** | Random **01**


PREMIUM
Quality Products





3D
Collection

ST 10105

600X
1200MM

Finish **Glossy** | Thickness **9MM** | Random **01**


PREMIUM
Quality Products





ST 10105

3D
Collection

SZR-1005

600X
1200MM



Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products



3D
Collection

SZR-1006

600X
1200MM


Finish
Glossy

Thickness
9MM

Random
01



PREMIUM
Quality Products





SZR-1006

PEREGRINE ENTERPRISES



Technical Specification

Characteristics	Standard (ISO -1-3006 /EN1 4411)	Value	Test Method
-----------------	----------------------------------	-------	-------------

Regulatory Properties

Deviation in length & width	±0.5%	±0.2%	ISO - 10545-2
Deviation in thickness	±5.0%	±5.0%	ISO - 10545-2
Straightness in side	±0.5%	±0.2%	ISO - 10545-2
Rectangularity	±0.5%	±0.2%	ISO - 10545-2
Surface flatness	±0.5%	±0.2%	ISO - 10545-2
Color difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	> 90%	Glossmeter

Structural Properties

Water absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent density	>2.00 g/cc	>2.10 g/cc	DIN 51082

Massive Mechanical Properties

Modulus of rupture	Min 35N/mm ²	Min 40N/mm ²	ISO - 10545-4
Breaking strength	Min.1300 N	Min.2000 N	ISO - 10545-4
Impact resistance	As per Mfg.	Min. 0.55	ISO - 10545-5

Surface Mechanical Properties

Surface abrasion resistance	As per Mfg.	Min. class 3	ISO - 10545-7
MOH's hardness	As per Mfg.	Min. class 4	EN 101

Thermo Hygrometric Properties

Frost resistance	No Damage	No Damage	ISO - 10545-12
Thermal shock resistance	No Damage	No Damage	ISO - 10545-09
Moisture expansion	Nil	Nil	ISO - 10545-10
Thermal expansion (COE)	Max.9.0x10 ⁻⁶	Max.6.5x10 ⁻⁶	ISO - 10545-08
Crazing resistance	As per Mfg.	Min.10 cycle	ISO - 10545-11

Chemical properties

Chemical resistance	No Damage	No Damage	ISO - 10545-13
Stain resistance	Resistant	Resistant	ISO- 10545-14

Safety Properties

Slip resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire resistance	As per Mfg.	Fire Proof	N.A.

Packing Details

Product Size (CM)	Collection	Thickness	Sq.Mtr	Approx Weight	PCS/Boxes
60X120	—	0.9CM	1.44	28kg	2

THANK YOU