

# PEREGRINE ENTERPRISES




60 X 120 CM

Redefining Aesthetic

SEMI  
HIGH GLOSSY  
COLLECTION

---

CATALOGUE 2025



**SEMI  
HIGH GLOSSY**  
COLLECTION

/

## **The Perfect Balance of**

SHINE AND SOPHISTICATION.

Introducing semi high gloss tiles – the perfect harmony between subtle elegance and refined shine. Designed for those who desire a soft luster without the overwhelming glare of full-gloss finishes, these tiles bring a luxurious touch to interiors while maintaining a calm, sophisticated presence. The surface reflects just the right amount of light to enhance your space, adding depth and dimension to walls and floors alike. Whether you're crafting a cozy home or a modern commercial setting, semi high gloss tiles offer a timeless appeal that complements both classic and contemporary aesthetics.

Beyond their stunning appearance, our semi high gloss tiles are built for performance. They offer excellent resistance to scratches, stains, and moisture – making them ideal for everyday living. The surface is easy to clean and hygienic, ensuring long-term beauty with minimal effort. Thanks to their durable composition, they handle thermal stress, chemical exposure, and impact with ease, while the low water absorption ensures structural integrity over time. Easy to install and crafted for dimensional stability, these tiles combine the best of both worlds – soft sophistication and lasting strength.

**Sleek,  
Sophisticated and**

Softly Shining.

**SEMI  
HIGH GLOSSY  
COLLECTION**



**GRACEFULLY  
GLOSSED.**

PERFECTLY POISED.

Experience the refined brilliance of semi high gloss tiles – where elegant sheen meets unbeatable performance. Crafted for modern living, these tiles offer long-lasting durability with resistance to impact, frost, fire, and chemical exposure. Their low water absorption and dimensional stability ensure structural integrity, while thermal shock resistance keeps them strong through every season. Easy to clean and maintain, they remain hygienic and visually stunning even with daily use. The surface is carefully engineered to prevent crazing, and with effortless installation, these tiles become the ideal choice for spaces that demand both subtle beauty and reliable strength.



Scratch  
Resistant



Fire  
Resistant



Liquid  
Repellent



Frost  
Resistant



Stain  
Resistant




Resistant To  
UV Rays



Impact  
Resistant

Thickness  
**9mm**





## APPLICATION AREA





**SEMI-HIGH  
GLOSS**

Collection

**AMORA  
CREMA**

600X  
1200MM

Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products



**SEMI-HIGH  
GLOSS**

Collection

**ARMANI  
GOLD**

600X  
1200MM

Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





**SEMI-HIGH  
GLOSS**

Collection

**CHAMPION  
BROWN**

600X  
1200MM


Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





**SEMI-HIGH  
GLOSS**

Collection

**CHAMPION  
GRIS**

600X  
1200MM

Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





CHAMPION  
GRIS



**SEMI-HIGH  
GLOSS**

Collection

**CORALITO  
BROWN**

600X  
1200MM

Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





**SEMI-HIGH  
GLOSS**

Collection

**FONTANA  
CHOCO**

600X  
1200MM

Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products



**SEMI-HIGH  
GLOSS**

Collection

**FORMOSA  
BLUE**

600X  
1200MM

Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





**SEMI-HIGH  
GLOSS**

Collection

**FORMOSA  
CREMA**

600X  
1200MM

Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





FORMOSA  
CREMA

**SEMI-HIGH  
GLOSS**

Collection

**FORMOSA  
GREEN**

600X  
1200MM



Finish  
**Semi-High Gloss**


Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





**SEMI-HIGH  
GLOSS**

Collection

**GRAFFITE  
WHITE**

600X  
1200MM


Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





**SEMI-HIGH  
GLOSS**

Collection

**MARAMARA  
NATURAL**

600X  
1200MM

Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





**SEMI-HIGH  
GLOSS**

Collection

**MARS  
NATURAL**

600X  
1200MM

Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





MARS  
NATURAL



**SEMI-HIGH  
GLOSS**

Collection

**MEPAL  
BROWN**

600X  
1200MM

Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products



**SEMI-HIGH  
GLOSS**

Collection

**MIDNIGHT  
BLUE**

600X  
1200MM






Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products



**SEMI-HIGH  
GLOSS**

Collection

**POLARIS  
CHOCO**

600X  
1200MM


Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





**SEMI-HIGH  
GLOSS**

Collection

**TROPIC  
BROWN**

600X  
1200MM


Finish  
**Semi-High Gloss**

Thickness  
**9MM**

Random  
**04**



**PREMIUM**  
Quality Products





TROPIC  
BROWN

**P E R E G R I N E**  
ENTERPRISES

**SEMI**  
**HIGH GLOSSY**  
COLLECTION

## Technical Specification

Characteristics	Standard (ISO -1-3006 /EN1 4411)	Value	Test Method
-----------------	----------------------------------	-------	-------------

### Regulatory Properties

Deviation in length & width	±0.5%	±0.2%	ISO - 10545-2
Deviation in thickness	±5.0%	±5.0%	ISO - 10545-2
Straightness in side	±0.5%	±0.2%	ISO - 10545-2
Rectangularity	±0.5%	±0.2%	ISO - 10545-2
Surface flatness	±0.5%	±0.2%	ISO - 10545-2
Color difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	> 90%	Glossmeter

### Structural Properties

Water absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent density	>2.00 g/cc	>2.10 g/cc	DIN 51082

### Massive Mechanical Properties

Modulus of rupture	Min 35N/mm <sup>2</sup>	Min 40N/mm <sup>2</sup>	ISO - 10545-4
Breaking strength	Min.1300 N	Min.2000 N	ISO - 10545-4
Impact resistance	As per Mfg.	Min. 0.55	ISO - 10545-5

### Surface Mechanical Properties

Surface abrasion resistance	As per Mfg.	Min. class 3	ISO - 10545-7
MOH's hardness	As per Mfg.	Min. class 4	EN 101

### Thermo Hygrometric Properties

Frost resistance	No Damage	No Damage	ISO - 10545-12
Thermal shock resistance	No Damage	No Damage	ISO - 10545-09
Moisture expansion	Nil	Nil	ISO - 10545-10
Thermal expansion (COE)	Max.9.0x10 <sup>-6</sup>	Max.6.5x10 <sup>-6</sup>	ISO - 10545-08
Crazing resistance	As per Mfg.	Min.10 cycle	ISO - 10545-11

### Chemical properties

Chemical resistance	No Damage	No Damage	ISO - 10545-13
Stain resistance	Resistant	Resistant	ISO- 10545-14

### Safety Properties

Slip resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire resistance	As per Mfg.	Fire Proof	N.A.

### Packing Details

Product Size (CM)	Collection	Thickness	Sq.Mtr	Approx Weight	PCS/Boxes
60X120	—	0.9CM	1.44	28kg	2

**THANK YOU**